



# YKHC

## Subregional Clinics Formulary

Edited June 2021

### Table of Contents

|                                            |          |
|--------------------------------------------|----------|
| <b>Subregional Clinics Formulary .....</b> | <b>1</b> |
| ANALGESICS .....                           | 2        |
| ANESTHESIA .....                           | 3        |
| ANTIMICROBIALS .....                       | 3        |
| CARDIOVASCULAR .....                       | 4        |
| CODE CART .....                            | 6        |
| DERMATOLOGY .....                          | 6        |
| ENDOCRINE & METABOLIC .....                | 7        |
| ENT .....                                  | 9        |
| GASTROENTEROLOGY .....                     | 9        |
| HEMATOLOGY .....                           | 11       |
| NEUROLOGY .....                            | 11       |
| OB/GYN .....                               | 11       |
| OPHTHALMOLOGY .....                        | 12       |
| PSYCHIATRY .....                           | 13       |
| PULMONARY .....                            | 13       |
| TOXICOLOGY .....                           | 14       |
| UROLOGY .....                              | 14       |
| IV SOLUTIONS .....                         | 14       |
| OTHER .....                                | 15       |

**ANALGESICS**

| PRODUCT                                               | PREGNANCY CATEGORY                           | VIA               | DOSAGE                                                       |
|-------------------------------------------------------|----------------------------------------------|-------------------|--------------------------------------------------------------|
| <b>Muscle Relaxants</b>                               |                                              |                   |                                                              |
| CYCLOBENZAPRINE (Flexeril®)                           | B                                            | Tablet, oral      | 10mg                                                         |
| <b>Nonsteroidal Anti-inflammatories</b>               |                                              |                   |                                                              |
| <b>Salicylic acid derivatives</b>                     |                                              |                   |                                                              |
| ASPIRIN                                               | C/D (full dose in 3rd trimester)             | Tablet, oral      | 81mg enteric coated, 325mg enteric coated, 325mg (unit dose) |
| <b>Other</b>                                          |                                              |                   |                                                              |
| IBUPROFEN (Motrin®, Advil®)                           | B/D (3rd trimester)                          | Tablet, oral      | 400mg                                                        |
| IBUPROFEN (Motrin®)                                   | B/D (3rd trimester)                          | Suspension, oral  | 100mg/5ml                                                    |
| KETOROLAC (Toradol®, Acular®)                         | C/D (3rd trimester)                          | Injection         | 60mg/2ml                                                     |
| NABUMETONE (Relafen®)                                 | C/D (3rd trimester)                          | Tablet, oral      | 500mg                                                        |
| NAPROXEN (Naprosyn®)                                  | C/D (3rd trimester)                          | Tablet, oral      | 250mg                                                        |
| <b>Opioid Agonists/ Opioid Analgesic Combinations</b> |                                              |                   |                                                              |
| ACETAMINOPHEN/CODEINE (Tylenol #3)                    | C/D (if prolonged use or high doses at term) | Tablet, oral      | 300mg/30mg                                                   |
| FENTANYL (Sublimaze®)                                 | C/D (if prolonged use or high doses at term) | Injection         | 100mcg/2ml                                                   |
| HYDROCODONE/ACETAMINOPHEN (Norco®)                    | C/D (if prolonged use or high doses at term) | Tablet, oral      | 5mg/325mg                                                    |
| MORPHINE SULFATE                                      | C/D (if prolonged use or high doses at term) | Injection         | 10mg/ml                                                      |
| OXYCODONE/ACETAMINOPHEN (Percocet®)                   | B/D (if prolonged use or high doses at term) | Tablet, oral      | 5mg/325mg                                                    |
| <b>Opioid Antagonist</b>                              |                                              |                   |                                                              |
| NALOXONE (Narcan®)                                    | B                                            | Injection         | 1 mg/ml 2 ml syringe, 0.4mg/ml                               |
| <b>Topical Analgesics</b>                             |                                              |                   |                                                              |
| BENZOCAINE (Hurricane®)                               | C                                            | Spray, oral       | 20%                                                          |
| CLOVE OIL                                             | N/A                                          | Solution, topical | N.F.                                                         |
| LIDOCAINE                                             | B                                            | Patch, topical    | 5%                                                           |
| LIDOCAINE                                             | B                                            | Jelly, topical    | 2%                                                           |
| LIDOCAINE                                             | B                                            | Viscous           | 2% unit dose                                                 |

| PRODUCT                  | PREGNANCY CATEGORY | VIA                 | DOSAGE                  |
|--------------------------|--------------------|---------------------|-------------------------|
| <b>Other Analgesics</b>  |                    |                     |                         |
| ACETAMINOPHEN (Tylenol®) | C                  | Tablet, oral        | 160 mg chewable, 325 mg |
| ACETAMINOPHEN (Tylenol®) | C                  | Suppository, Rectal | 120mg, 650mg            |
| ACETAMINOPHEN (Tylenol®) | C                  | Suspension, Oral    | 160mg/5ml               |
| TRAMADOL (Ultram®)       | C                  | Tablet, oral        | 50mg                    |

## ANESTHESIA

| PRODUCT                              | PREGNANCY CATEGORY | VIA       | DOSAGE      |
|--------------------------------------|--------------------|-----------|-------------|
| BUPIVACAINE (Marcaine®)              | C                  | Injection | 0.5%        |
| ETOMIDATE (amidate)                  | C                  | Injection | 2mg/ml      |
| LIDOCAINE (Xylocaine®)               | B                  | Injection | 1%, 2%      |
| LIDOCAINE WITH EPINEPHRINE 1:100,000 | C                  | Injection | 1%, 2%      |
| MIDAZOLAM (Versed®)                  | D                  | Injection | 10mg/2ml    |
| ROCURONIUM (Zemuron®)                |                    | Injection | 100 mg/10mL |

## ANTIMICROBIALS

| PRODUCT                     | PREGNANCY CATEGORY | VIA              | DOSAGE                   |
|-----------------------------|--------------------|------------------|--------------------------|
| <b>Aminoglycosides</b>      |                    |                  |                          |
| GENTAMICIN (Garamycin®)     | D                  | Injection        | 40mg/ml                  |
| <b>Antifungal Agents</b>    |                    |                  |                          |
| FLUCONAZOLE (Diflucan®)     | D                  | Tablet, oral     | 150mg                    |
| NYSTATIN                    | C                  | Suspension, oral | 100,000 units/ml         |
| <b>Antiparasitics</b>       |                    |                  |                          |
| PYRANTEL PAMOATE            | C                  | Suspension, oral | 144mg/mL (50 mg/mL base) |
| <b>Antiviral Agents</b>     |                    |                  |                          |
| <b>Anti-Herpetic</b>        |                    |                  |                          |
| VALACYCLOVIR (Valtrex)      | B                  | Tablets, oral    | 500 mg                   |
| <b>Anti-Influenza</b>       |                    |                  |                          |
| OSELTAMIVIR (Tamiflu®)      | C                  | Capsule, oral    | 75mg                     |
| OSELTAMIVIR (Tamiflu®)      | C                  | Solution, oral   | 6mg/ml                   |
| <b>Cephalosporins</b>       |                    |                  |                          |
| CEFAZOLIN (Ancef®, Kefzol®) | B                  | Injection        | 1gm                      |
| CEFDINIR (OMNICEF)          | B                  | Suspension, oral | 250mg/5ml                |
| CEFOXITIN                   | B                  | Injection        | 2gm                      |
| CEFTRIAXONE (Rocephin®)     | B                  | Injection        | 250mg, 1g                |
| CEFUROXIME (Ceftin)         | B                  | Tablet, oral     | 250mg                    |
| CEPHALEXIN (Keflex®)        | B                  | Capsule, oral    | 500mg                    |

| PRODUCT              | PREGNANCY CATEGORY | VIA              | DOSAGE    |
|----------------------|--------------------|------------------|-----------|
| CEPHALEXIN (Keflex®) | B                  | Suspension, oral | 250mg/5ml |

**Macrolides**

|                           |   |                  |                    |
|---------------------------|---|------------------|--------------------|
| AZITHROMYCIN (Zithromax®) | B | Tablet, oral     | 250mg, 250mg Z-Pak |
| AZITHROMYCIN (Zithromax®) | B | Suspension, oral | 200mg/5ml          |

**Penicillins**

|                                                    |   |                  |                                         |
|----------------------------------------------------|---|------------------|-----------------------------------------|
| AMOXICILLIN (Amoxil®, Polymox®)                    | B | Capsule, oral    | 500mg                                   |
| AMOXICILLIN (Amoxil®, Polymox®)                    | B | Suspension, oral | 400mg/5ml                               |
| AMOXICILLIN/CLAVULANIC ACID (Augmentin®)           | B | Suspension, oral | 600mg/42.9mg/5ml                        |
| AMOXICILLIN/CLAVULANIC ACID (Augmentin®)           | B | Tablet, oral     | 875mg                                   |
| AMPICILLIN (Polycillin®)                           | B | Injection        | 1gm                                     |
| AMPICILLIN/SULBACTAM (Unasyn®)                     | B | Injection        | 1.5g                                    |
| PENICILLIN G, BENZATHINE SUSPENSION (Bicillin-LA®) | B | Injection        | 600,000 units/ml<br>1,200,000 units/2ml |
| PENICILLIN VK (Pen-Vee K®)                         | B | Tablet, oral     | 250mg                                   |
| PENICILLIN VK (Pen-Vee K®)                         | B | Suspension, oral | 250mg/ 5ml                              |

**Fluoroquinolones**

|                            |   |              |                    |
|----------------------------|---|--------------|--------------------|
| CIPROFLOXACIN HCL (Cipro®) | C | Tablet, oral | 500mg              |
| LEVOFLOXACIN (Levaquin®)   | C | Tablet, oral | 500mg              |
| LEVOFLOXACIN (Levaquin®)   | C | Injection    | 500mg/100ml premix |

**Sulfonamides**

|                                                                   |   |                  |                |
|-------------------------------------------------------------------|---|------------------|----------------|
| SULFAMETHOXAZOLE/TRIMETHOPRIM (Bactrim®, Septra®, Co-trimoxazole) | D | Tablet, oral     | 400mg/80mg     |
| SULFAMETHOXAZOLE/TRIMETHOPRIM (Bactrim®, Septra®, Co-trimoxazole) | D | Suspension, oral | 200mg/40mg/5ml |

**Tetracyclines**

|                           |   |              |       |
|---------------------------|---|--------------|-------|
| DOXYCYCLINE (Vibramycin®) | D | Tablet, oral | 100mg |
|---------------------------|---|--------------|-------|

**Other Antimicrobials**

|                         |   |                  |                           |
|-------------------------|---|------------------|---------------------------|
| CLINDAMYCIN (Cleocin®)  | B | Capsule, oral    | 150mg                     |
| CLINDAMYCIN (Cleocin®)  | B | Injection        | 900mg/6ml, 900mg/50ml D5W |
| CLINDAMYCIN (Cleocin®)  | B | Suspension, oral | 75mg/5ml                  |
| METRONIDAZOLE (Flagyl®) | B | Tablet, oral     | 250mg                     |
| NITROFURANTOIN          | B | Capsule, oral    | 100mg                     |
| VANCOMYCIN (Vancocin®)  | C | Injection        | 1000mg/vial               |

**CARDIOVASCULAR**

| PRODUCT | PREGNANCY CATEGORY | VIA | DOSAGE |
|---------|--------------------|-----|--------|
|---------|--------------------|-----|--------|

**ACE Inhibitors**

|                                  |   |              |      |
|----------------------------------|---|--------------|------|
| LISINOPRIL (Zestril®, Prinivil®) | D | Tablet, oral | 10mg |
|----------------------------------|---|--------------|------|

**Antiadrenergic Agents**

| PRODUCT               | PREGNANCY CATEGORY | VIA          | DOSAGE            |
|-----------------------|--------------------|--------------|-------------------|
| CLONIDINE (Catapres®) | C                  | Tablet, oral | 0.1mg (unit dose) |

**Anti-Dysrhythmics/Cardiac Arrest**

|                         |   |              |                                |
|-------------------------|---|--------------|--------------------------------|
| ADENOSINE (Adenocard®)  | C | Injection    | 6mg/2ml vial                   |
| AMIODARONE (Cordarone®) | D | Injection    | 150mg/3ml (protect from light) |
| ATROPINE                | C | Injection    | 0.4mg/ml vial, 1 mg/10ml syr   |
| DIGOXIN (Lanoxin®)      | C | Injection    | 0.25mg/ml                      |
| DIGOXIN (Lanoxin®)      | C | Tablet, oral | 0.125mg                        |
| LIDOCAINE               | B | Injection    | 2g in 500ml D5W (4mg/ml)       |

**Anti-Hyperlipidemic Agents**

|                                     |   |              |      |
|-------------------------------------|---|--------------|------|
| <b>HMG-CoA Reductase Inhibitors</b> |   |              |      |
| ATORVASTATIN (Lipitor)              | X | Tablet, oral | 10mg |
| SIMVASTATIN (Zocor)                 | X | Tablet, oral | 20mg |

**Antiplatelets**

|                        |   |              |      |
|------------------------|---|--------------|------|
| CLOPIDOGREL (Plavix ®) | B | Tablet, oral | 75mg |
|------------------------|---|--------------|------|

**Beta Blockers**

|                                   |   |              |         |
|-----------------------------------|---|--------------|---------|
| LABETALOL (Normodyne®, Trandate®) | C | Injection    | 5mg/ml  |
| METOPROLOL SUCCINATE (Toprol XL®) | C | Tablet, oral | 50mg    |
| METOPROLOL TARTRATE (Lopressor®)  | C | Injection    | 5mg/5ml |
| PROPRANOLOL (Inderal®)            | C | Injection    | 1mg/ml  |

**Calcium Channel Blockers**

|                         |   |               |                      |
|-------------------------|---|---------------|----------------------|
| <b>Dihydropyridines</b> |   |               |                      |
| AMLODIPINE (NORVASC)    | C | Tablet, oral  | 5mg, 5mg (unit dose) |
| NIFEDIPINE              | C | Capsule, oral | 10 mg (unit dose)    |

**Diuretics**

|                                                  |     |              |                        |
|--------------------------------------------------|-----|--------------|------------------------|
| <b>Loop</b>                                      |     |              |                        |
| FUROSEMIDE (Lasix®)                              | C   | Tablet, oral | 40mg, 40mg (unit dose) |
| FUROSEMIDE (Lasix®)                              | C   | Injection    | 10mg/ml                |
| <b>Thiazide Type</b>                             |     |              |                        |
| CHLORTHALIDONE                                   | N/A | Tablet       | 25mg                   |
| HYDROCHLOROTHIAZIDE (Hydrodiuril®, Oretic®, etc) | B   | Tablet, oral | 25mg                   |

**Nitrates**

|                           |   |                    |                |
|---------------------------|---|--------------------|----------------|
| NITROGLYCERIN (Nitrostat) | C | Tablet, sublingual | 0.4mg          |
| NITROGLYCERIN (Nitrobid)  | C | Ointment, topical  | 2%             |
| NITROGLYCERIN             | C | Injection          | 50mg/250ml D5W |

**Pressors/Inotropes**

|                                    |   |           |                                      |
|------------------------------------|---|-----------|--------------------------------------|
| DOBUTAMINE (Dobutrex®)             | B | Injection | 250mg/250ml dextrose 5% premix       |
| DOPAMINE                           | C | Injection | 400mg/250ml premix                   |
| EPINEPHRINE                        | C | Injection | 1:1000 (1mg/ml), 1:10,000 (0.1mg/ml) |
| EPINEPHRINE (Epi-Pen, Epi-Pen Jr.) | C | Injection | 0.15mg, 0.3mg                        |

**Thrombolytics**

| PRODUCT                | PREGNANCY CATEGORY | VIA       | DOSAGE         |
|------------------------|--------------------|-----------|----------------|
| TENECTEPLASE (TNKase®) | C                  | Injection | 50mg/10ml vial |

## CODE CART

| PRODUCT                 | PREGNANCY CATEGORY | VIA       | DOSAGE                                          |
|-------------------------|--------------------|-----------|-------------------------------------------------|
| ADENOSINE (Adenocard®)  | C                  | Injection | 6mg/2ml vial                                    |
| AMIODARONE (Cordarone®) | D                  | Injection | 150mg/3ml (protect from light)                  |
| TENECTEPLASE (TNKase®)  | C                  | Injection | 100mg/100ml vial                                |
| ATROPINE                | C                  | Injection | 0.4mg/ml and 1 mg/10ml                          |
| CALCIUM CHLORIDE        | C                  | Injection | 1gm/10ml (14mEq Ca/10ml)                        |
| DEXAMETHASONE           | C                  | Injection | 10mg/mL (peds code cart)                        |
| DEXTROSE                | C                  | Injection | 25% (10ml), 50% (50ml)                          |
| DIGOXIN (Lanoxin®)      | C                  | Injection | 0.5mg/2ml                                       |
| DOBUTAMINE              | B                  | Injection | 250mg/250ml premix                              |
| DOPAMINE                | C                  | Injection | 400mg/250ml premix                              |
| EPINEPHRINE             | C                  | Injection | 1:1000 or 1 mg/ml (1ml),<br>1:10,000 (10ml)     |
| LIDOCAINE (Xylocaine®)  | B                  | Injection | 2% (100mg/5ml)                                  |
| NALOXONE (Narcan®)      | B                  | Injection | 0.4 mg                                          |
| NITROGLYCERIN           | C                  | Injection | 50mg/250ml D5W                                  |
| ROCURONIUM              |                    | Injection | 10 mg/mL                                        |
| SODIUM BICARBONATE      | C                  | Injection | 4.2% (5mEq/10ml) peds<br>8.4% (50mg/50ml) adult |

## DERMATOLOGY

| PRODUCT                         | PREGNANCY CATEGORY | VIA                  | DOSAGE                                   |
|---------------------------------|--------------------|----------------------|------------------------------------------|
| <b>Antibacterials (Topical)</b> |                    |                      |                                          |
| BACITRACIN                      | C                  | Ointment, Topical    | 500 units/gm                             |
| MUPIROCIN (Bactroban®)          | B                  | Ointment, topical    | 2%                                       |
| SILVER NITRATE                  | C                  | Applicators, topical | 75% silver nitrate/25% potassium nitrate |
| <b>Antifungals (Topical)</b>    |                    |                      |                                          |
| CLOTRIMAZOLE                    | B                  | Cream, topical       | 1%                                       |
| NYSTATIN                        | C                  | Cream, topical       | 100,000 units/gm                         |
| <b>Antiparasitics (Topical)</b> |                    |                      |                                          |
| PERMETHRIN (Elimite)            | B                  | Cream, topical       | 5%                                       |
| PERMETHRIN (Nix)                | B                  | Cream Rinse, topical | 1%                                       |
| <b>Antivirals (Topical)</b>     |                    |                      |                                          |
| ACYCLOVIR (Zovirax®)            | B                  | Ointment, topical    | 5%                                       |

### Corticosteroid (Topical)

| PRODUCT                               | PREGNANCY CATEGORY | VIA               | DOSAGE |
|---------------------------------------|--------------------|-------------------|--------|
| FLUOCINONIDE (Lidex®)                 | C                  | Ointment, topical | 0.05%  |
| HYDROCORTISONE                        | C                  | Cream, topical    | 1%     |
| TRIAMCINOLONE ACETONIDE (Aristocort®) | C                  | Cream, topical    | 0.1%   |
| TRIAMCINOLONE ACETONIDE (Aristocort®) | C                  | Ointment, topical | 0.1%   |

**Corticosteroid/Antimicrobial Combinations**

|                                   |   |                |                        |
|-----------------------------------|---|----------------|------------------------|
| NYSTATIN/TRIAMCINOLONE (Mycolog®) | C | Cream, topical | 100,000 units/1mg/gram |
|-----------------------------------|---|----------------|------------------------|

**Hemorrhoid Care**

|                                            |     |                         |      |
|--------------------------------------------|-----|-------------------------|------|
| HYDROCORTISONE (Anusol-HC®, Proctosol-HC®) | C   | Cream, rectal           | 2.5% |
| HYDROCORTISONE ACETATE (Anusol-HC®)        | C   | Suppository, rectal     | 25mg |
| WITCH HAZEL                                | N/A | Medicated pads, topical | 50%  |

**Other Dermatologic Agents**

|                                                                                                                                      |     |                   |            |
|--------------------------------------------------------------------------------------------------------------------------------------|-----|-------------------|------------|
| ALOE VERA                                                                                                                            | N/A | Gel, topical      | 100%       |
| CALAMINE                                                                                                                             | C   | Lotion, topical   | U.S.P.     |
| CETAPHIL® MOISTURIZING CLEANSER                                                                                                      | N/A | Cream, topical    | 237g       |
| COLLAGENASE (Santyl)                                                                                                                 | N/A | Ointment, topical | 250units/g |
| EMOLLIENT, LOTION (Lubriderm)                                                                                                        | N/A | Lotion, topical   | 177ml      |
| EMOLLIENT, OINTMENT (Aquaphor)                                                                                                       | N/A | Ointment, topical | 50g        |
| OATMEAL, COLLOIDAL (Aveeno®)                                                                                                         | N/A | Powder for bath   | 8pack      |
| SELENIUM SULFIDE (Selsun®)                                                                                                           | C   | Shampoo, topical  | 2.5%       |
| VITAMIN A & D (Petrolatum/Lanolin Base)                                                                                              | B   | Ointment, topical |            |
| ZINC GELATIN (Gelucast, Unna's Boot)<br>Contains: glycerin, sorbitol, gelatin, magnesium aluminum silicate, zinc oxide and calamine, | N/A | Medicated Bandage |            |
| ZINC OXIDE                                                                                                                           | N/A | Ointment, topical | 20%        |

**Other**

|                                                  |     |                      |                                      |
|--------------------------------------------------|-----|----------------------|--------------------------------------|
| ALUMINUM SULFATE AND CALCIUM ACETATE (Domeboro®) | N/A | Packet, Effervescent | One packet/16oz of water yields 1:40 |
|--------------------------------------------------|-----|----------------------|--------------------------------------|

**ENDOCRINE & METABOLIC**

| PRODUCT                          | PREGNANCY CATEGORY | VIA       | DOSAGE      |
|----------------------------------|--------------------|-----------|-------------|
| <b>Corticosteroids</b>           |                    |           |             |
| DEXAMETHASONE                    | C                  | Injection | 10mg/1ml    |
| HYDROCORTISONE                   | C                  | Injection | 100mg/2ml   |
| METHYLPREDNISOLONE (Depo-Medrol) | C                  | Injection | 80mg/ml SDV |

| PRODUCT                               | PREGNANCY CATEGORY | VIA          | DOSAGE                                                   |
|---------------------------------------|--------------------|--------------|----------------------------------------------------------|
| METHYLPREDNISOLONE (Solu-Medrol)      | C                  | Injection    | 40mg/1ml SDV, 125mg/2ml SDV                              |
| PREDNISOLONE (Prelone)                | C                  | Syrup, oral  | 3mg/ml                                                   |
| PREDNISONE (Deltasone®)               | D                  | Tablet, oral | 1mg (unit dose), 5mg (unit dose), 10mg (unit dose), 10mg |
| TRIAMCINOLONE ACETONIDE (Kenalog-40®) | C                  | Injection    | 40mg/1ml                                                 |

**Diabetes-Related**

|                                                                          |   |                          |                     |
|--------------------------------------------------------------------------|---|--------------------------|---------------------|
| <b>Insulins</b>                                                          |   |                          |                     |
| INSULIN ASPART INJ (NovoLog FlexPen®)                                    | B | Injection                | 100units/ml (pens)  |
| INSULIN GLARGINE INJ (Lantus Solostar®)                                  | C | Injection                | 100units/ml (pens)  |
| INSULIN R U-100 INJ (Novolin, Humulin)                                   | B | Injection                | 100units/ml         |
| <b>Sulfonylureas</b>                                                     |   |                          |                     |
| GLIPIZIDE                                                                | C | Tablet, oral             | 5mg                 |
| GLYBURIDE (Diabeta®, Micronase®)<br>*restricted to gestational diabetes* | C | Tablet, oral             | 5mg                 |
| <b>Other</b>                                                             |   |                          |                     |
| DEXTROSE                                                                 | C | Injection                | 25%, 50%            |
| GLUCAGON                                                                 | B | Injection, emergency kit | 1mg/ml              |
| GLUCOSE (Insta-Glucose®)                                                 | C | Gel, oral                | 31gm (24 g glucose) |
| METFORMIN (Glucophage®)                                                  | B | Tablet, oral             | 500mg ER            |

**Gout-Related**

|            |   |              |       |
|------------|---|--------------|-------|
| COLCHICINE | C | Tablet, oral | 0.6mg |
|------------|---|--------------|-------|

**Minerals/Electrolytes**

|                                   |     |                |                                                 |
|-----------------------------------|-----|----------------|-------------------------------------------------|
| CALCIUM CARBONATE/VITAMIN D       | C   | Tablet, oral   | 500mg/200mg                                     |
| CALCIUM CHLORIDE                  | C   | Injection      | 1gm/10ml (14mEq Ca/10ml)                        |
| CALCIUM GLUCONATE                 |     | Injection      | 100mg/mL                                        |
| FERROUS SULFATE                   | N/A | Tablet, oral   | 325mg (65mg elem iron/tab)                      |
| IRON POLYSACCHARIDE (NovaFerrum®) | N/A | Solution, oral | 15mg/mL (elemental iron)                        |
| MAGNESIUM SULFATE                 | D   | Injection      | 40gm/1000ml (40mg/ml)                           |
| POTASSIUM CHLORIDE                | C   | Injection      | 10mEq/100ml (premix)                            |
| POTASSIUM CHLORIDE                | C   | Tablet, oral   | 10mEq                                           |
| SODIUM BICARBONATE                | C   | Injection      | 4.2% (5mEq/10ml) peds<br>8.4% (50mg/50ml) adult |

**Vitamins**

|                                             |     |                      |           |
|---------------------------------------------|-----|----------------------|-----------|
| CHOLECALCIFEROL                             | N/A | Tablet               | 1000IU    |
| FOLIC ACID                                  | A   | Injection            | 5mg/ml    |
| MULTIVITAMIN                                | N/A | Injection            |           |
| MULTIVITAMIN (CHILDRENS)                    | N/A | Tablet, chewable     |           |
| POLY-VIT WITH FLUORIDE AND IRON             | N/A | Solution, oral       |           |
| PHYTONADIONE (Vitamin K-1) (Aqua-Mephyton®) | C   | Injection, pediatric | 1mg/0.5ml |
| PRENATAL VITAMIN                            | N/A | Tablet, oral         |           |



| PRODUCT                | PREGNANCY CATEGORY | VIA       | DOSAGE   |
|------------------------|--------------------|-----------|----------|
| THIAMINE (Vitamin B-1) | Fetal risk minimal | Injection | 100mg/ml |

**Other**

|                          |   |           |             |
|--------------------------|---|-----------|-------------|
| VASOPRESSIN (Pitressin®) | C | Injection | 20 units/ml |
|--------------------------|---|-----------|-------------|

**ENT**

| PRODUCT | PREGNANCY CATEGORY | VIA | DOSAGE |
|---------|--------------------|-----|--------|
|---------|--------------------|-----|--------|

**Antihistamines**

|                                  |     |                |            |
|----------------------------------|-----|----------------|------------|
| DIPHENHYDRAMINE (Benadryl®)      | B   | Capsule, oral  | 25mg       |
| DIPHENHYDRAMINE (Benadryl®)      | B   | Elixir, oral   | 12.5mg/5ml |
| DIPHENHYDRAMINE (Benadryl®)      | B   | Injection      | 50mg/ml    |
| HYDROXYZINE (Atarax®, Vistaril®) | C   | Tablet, oral   | 25mg       |
| LORATADINE (Claritin®)           | N/A | Tablet, oral   | 10mg       |
| LORATADINE (Claritin®)           | N/A | Solution, oral | 5mg/5mL    |
| MECLIZINE (Antivert®)            | B   | Tablet, oral   | 25mg       |

**Antitussives/Expectorants**

|                                                                                            |   |                |                |
|--------------------------------------------------------------------------------------------|---|----------------|----------------|
| BENZONATATE (Tessalon Perles®)                                                             | C | Capsule, oral  | 100 mg         |
| GUAIFENESIN/CODEINE (Robitussin AC)<br>—Should only be used in patients >6 years old       | C | Solution, oral | 100mg/10mg/5ml |
| GUAIFENESIN/DEXTROMETHORPHAN (Robitussin DM) —Should only be used in patients >6 years old | C | Solution, oral | 100mg/10mg/5ml |

**Decongestants**

|                                                                         |   |              |          |
|-------------------------------------------------------------------------|---|--------------|----------|
| PSEUDOEPHEDRINE (Sudafed®)—Should only be used in patients >6 years old | C | Tablet, oral | 60mg     |
| PSEUDOEPHEDRINE (Sudafed®)—Should only be used in patients >6 years old | C | Syrup, oral  | 30mg/5ml |

**Ear Preparations**

|                                        |     |                  |           |
|----------------------------------------|-----|------------------|-----------|
| CARBAMIDE PEROXIDE (Debrox®)           | N/A | Solution, otic   | 6.5%      |
| CIPROFLOXACIN/DEXAMETHASONE (Ciprodex) | C   | Suspension, otic | 0.3%/0.1% |

**Nasal Preparations**

|                            |     |                       |             |
|----------------------------|-----|-----------------------|-------------|
| FLUTICASONE                | C   | Nasal Spray           | 50mcg/spray |
| OXYMETAZOLINE HCL (Afrin®) | C   | Nasal Spray           | 0.05%       |
| SODIUM CHLORIDE            | N/A | Solution, nasal drops | 0.65%       |

**Other**

|                            |     |                  |           |
|----------------------------|-----|------------------|-----------|
| DIPHENHYDRAMINE/MAALOX 1:1 | N/A | Suspension, oral | 30ml/30ml |
| NALOXONE                   | B   | Nasal Spray      | 4mg       |

**GASTROENTEROLOGY**

| PRODUCT | PREGNANCY CATEGORY | VIA | DOSAGE |
|---------|--------------------|-----|--------|
|---------|--------------------|-----|--------|

**Antidiarrheals**

| PRODUCT                               | PREGNANCY CATEGORY | VIA              | DOSAGE     |
|---------------------------------------|--------------------|------------------|------------|
| BISMUTH SUBSALICYLATE (Pepto-Bismol®) | N/A                | Suspension, oral | 262mg/15ml |
| LOPERAMIDE (Imodium®)                 | B                  | Capsule, oral    | 2mg        |

**Antiemetics**

|                                      |   |                               |                         |
|--------------------------------------|---|-------------------------------|-------------------------|
| DOXYLAMINE                           | B | Tablet, oral                  | 25mg                    |
| ONDANSETRON                          | B | Tablet, Oral                  | 4mg                     |
| ONDANSETRON                          | B | Injection                     | 4mg/2ml                 |
| ONDANSETRON – for use in clinic only | B | Tablet, orally disintegrating | 4 mg (unit dose)        |
| PROCHLORPERAZINE (Compazine®)        | C | Suppository, rectal           | 25mg                    |
| PROMETHAZINE (Phenergan®)            | C | Injection                     | 25mg/ml                 |
| PROMETHAZINE (Phenergan®)            | C | Suppository, rectal           | 25mg                    |
| PROMETHAZINE (Phenergan®)            | C | Tablet, oral                  | 25mg, 25 mg (unit dose) |
| PYRIDOXIME                           | B | Tablet, oral                  | 25mg                    |

**Antulcer**

|                                          |     |                  |                      |
|------------------------------------------|-----|------------------|----------------------|
| <b>Antacids</b>                          |     |                  |                      |
| ALUMINUM/MAGNESIUM/SIMETHICONE (Mintox®) | N/A | Suspension, oral | 200mg/200mg/20mg/5ml |
| <b>H2 Antagonists</b>                    |     |                  |                      |
| FAMOTIDINE (Pepcid®)                     | B   | Injection        | 20mg/2ml             |
| FAMOTIDINE (Pepcid®)                     | B   | Tablet, oral     | 10 mg                |
| <b>Proton Pump Inhibitors</b>            |     |                  |                      |
| OMEPRAZOLE                               | C   | Capsule, oral    | 20mg                 |
| <b>Other</b>                             |     |                  |                      |
| SUCRALFATE (Carafate®)                   | B   | Tablet, oral     | 1000mg               |

**Laxatives**

|                                         |     |                           |                      |
|-----------------------------------------|-----|---------------------------|----------------------|
| <b>Bulk Forming</b>                     |     |                           |                      |
| PSYLLIUM SEED (Reguloid)                | N/A | Powder, for oral solution | 100%                 |
| <b>Osmotic</b>                          |     |                           |                      |
| GLYCERIN                                | N/A | Suppository, rectal       | pediatric, adult     |
| MAGNESIUM CITRATE (Citrate of Magnesia) | D   | Solution, oral            | U.S.P.               |
| MAGNESIUM HYDROXIDE (Milk of Magnesia®) | D   | Suspension, oral          | 400mg/5ml            |
| POLYETHYLENE GLYCOL (Miralax)           | C   | Powder, oral              | 510g                 |
| SODIUM PHOSPHATE (Fleets®)              | C   | Enema                     | Adult, 133 mL/bottle |
| <b>Stool Softener</b>                   |     |                           |                      |
| DOCUSATE SODIUM (Colace®)               | N/A | Capsule, oral             | 100mg                |
| DOCUSATE SODIUM (Colace®)               | N/A | Liquid, oral              | 10mg/ml              |

**Probiotic**

|               |     |               |                |
|---------------|-----|---------------|----------------|
| LACTOBACILLUS | N/A | Capsule, oral | 15 billion CFU |
|---------------|-----|---------------|----------------|

**Other**

| PRODUCT              | PREGNANCY CATEGORY | VIA           | DOSAGE |
|----------------------|--------------------|---------------|--------|
| URSODIOL (Actigall®) | B                  | Capsule, oral | 300mg  |

## HEMATOLOGY

| PRODUCT               | PREGNANCY CATEGORY | VIA          | DOSAGE             |
|-----------------------|--------------------|--------------|--------------------|
| <b>Anticoagulants</b> |                    |              |                    |
| ENOXAPARIN (Lovenox®) | B                  | Injection    | 100mg/ 1ml syringe |
| WARFARIN (Coumadin®)  | X                  | Tablet, oral | 1mg (unit dose)    |
| <b>Other</b>          |                    |              |                    |
| TRANEXAMIC ACID       |                    | Injection    | 1000 mg/10 mL      |

## NEUROLOGY

| PRODUCT                  | PREGNANCY CATEGORY | VIA           | DOSAGE                   |
|--------------------------|--------------------|---------------|--------------------------|
| <b>Anticonvulsants</b>   |                    |               |                          |
| GABAPENTIN (Neurontin®)  | C                  | Capsule, oral | 300mg                    |
| LEVETIRACETAM (Keppra®)  | C                  | Injection     | 500 mg/5ml               |
| PHENOBARBITAL (Luminal®) | D                  | Injection     | 130 mg/ml                |
| PHENYTOIN (Dilantin®)    | D                  | Capsule, oral | 100mg, 100mg (unit dose) |
| FOSPHENYTOIN (Cerebyx®)  | D                  | Injection     | 500mg/10ml               |
| <b>Migraine Therapy</b>  |                    |               |                          |
| SUMATRIPTAN (Imitrex®)   | C                  | Tablet, oral  | 50mg                     |
| <b>Other Agents</b>      |                    |               |                          |
| MANNITOL                 | C                  | Injection     | 20% (100gm/500ml)        |

## OB/GYN

| PRODUCT                                                                   | PREGNANCY CATEGORY | VIA          | DOSAGE                                                                |
|---------------------------------------------------------------------------|--------------------|--------------|-----------------------------------------------------------------------|
| <b>Oral Contraceptives</b>                                                |                    |              |                                                                       |
| <b>Monophasic</b>                                                         |                    |              |                                                                       |
| ETHINYL ESTRADIOL/LEVONORGESTREL (Lessina, Levlite, Sronyx, etc.)         | X                  | Tablet, oral | 20mcg/0.1mg                                                           |
| ETHINYL ESTRADIOL/NORETHINDRONE (Norinyl, Ortho-Novum 1/35, Nortrel 1+35) | X                  | Tablet, oral | 35mcg/1mg                                                             |
| ETHINYL ESTRADIOL/NORGESTREL (Lo-Ovral, Cryselle, Lo-Ogestrel, etc.)      | X                  | Tablet, oral | 30mcg/0.3mg                                                           |
| <b>Progestin-only</b>                                                     |                    |              |                                                                       |
| NORETHINDRONE (Nor QD, Nora-BE, etc.)                                     | X                  | Tablet, oral | 0.35mg                                                                |
| <b>Triphasic</b>                                                          |                    |              |                                                                       |
| ETHINYL ESTRADIOL/LEVONORGESTREL (Trivora)                                | X                  | Tablet, oral | 30mcg/0.05mg x6 days, 40mcg/0.075mg x 5 days, 30mcg/0.125mg x 10 days |
| <b>Other Contraceptives</b>                                               |                    |              |                                                                       |
| ETHINYL ESTRADIOL/ETONOGESTREL (Nuvaring®)                                | X                  | Vaginal ring | 15mcg/0.12mg/day                                                      |

| PRODUCT                                                    | PREGNANCY CATEGORY | VIA               | DOSAGE             |
|------------------------------------------------------------|--------------------|-------------------|--------------------|
| *trained providers only                                    |                    |                   |                    |
| ETONOGESTREL (Nexplanon®)<br>*trained providers only       | X                  | Subdermal implant | 68mg               |
| INTRAUTERINE COPPER (Paragard®)<br>*trained providers only | X                  | IUD               |                    |
| LEVONORGESTREL (Mirena®)<br>*trained providers only        | X                  | IUD               | 20mcg/day          |
| LEVONORGESTREL (Plan B One-Step®)                          | X                  | Tablet, oral      | 1.5mg              |
| MEDROXYPROGESTERONE ACETATE                                | X                  | Injection         | 150mg/ml (IM only) |

**Labor Induction/Cervical Ripening**

|                        |   |              |                    |
|------------------------|---|--------------|--------------------|
| OXYTOCIN (Pitocin®)    | X | Injection    | 10units/ml, 1ml    |
| MISOPROSTOL (Cytotec®) | X | Tablet, oral | 200mcg (unit dose) |

**Progestins**

|                                        |   |              |      |
|----------------------------------------|---|--------------|------|
| MEDROXYPROGESTERONE ACETATE (Provera®) | X | Tablet, oral | 10mg |
|----------------------------------------|---|--------------|------|

**Uterotonics**

|                                        |   |              |          |
|----------------------------------------|---|--------------|----------|
| METHYLERGONOVINE MALEATE (Methergine®) | C | Tablet, oral | 0.2mg    |
| METHYLERGONOVINE MALEATE (Methergine®) | C | Injection    | 0.2mg/ml |

**Vaginitis Preparations**

|               |     |                |       |
|---------------|-----|----------------|-------|
| CLOTRIMAZOLE  | B   | Cream, vaginal | 1%    |
| METRONIDAZOLE | N/A | Gel, vaginal   | 0.75% |

**Other**

|                                                            |  |           |          |
|------------------------------------------------------------|--|-----------|----------|
| BETHAMETHASONE SODIUM PHOSPHATE AND BETHAMETHASONE ACETATE |  | Injection | 3 mg/3mg |
|------------------------------------------------------------|--|-----------|----------|

**OPHTHALMOLOGY**

| PRODUCT | PREGNANCY CATEGORY | VIA | DOSAGE |
|---------|--------------------|-----|--------|
|---------|--------------------|-----|--------|

**Antimicrobials**

|                                                        |   |                        |                                |
|--------------------------------------------------------|---|------------------------|--------------------------------|
| <b>Fluoroquinolones</b>                                |   |                        |                                |
| OFLOXACIN                                              | C | Solution, Ophthalmic   | 0.3%                           |
| <b>Other Antibacterials</b>                            |   |                        |                                |
| ERYTHROMYCIN                                           | B | Ointment, ophthalmic   | 0.5%                           |
| POLYMYXIN B/TRIMETHOPRIM (Polytrim)                    | C | Solution, ophthalmic   | Poly 10,000 units / TMP 1mg/ml |
| <b>Corticosteroid &amp; Antibacterial Combinations</b> |   |                        |                                |
| TOBRAMYCIN/DEXAMETHASONE (Tobradex)                    | C | Suspension, ophthalmic | 0.3%/0.1%                      |
| <b>Corticosteroids</b>                                 |   |                        |                                |
| PREDNISOLONE (Pred Forte)                              | C | Suspension, ophthalmic | 1%                             |

**Diagnostic Agents**

|       | PRODUCT                                       | PREGNANCY CATEGORY | VIA                  | DOSAGE     |
|-------|-----------------------------------------------|--------------------|----------------------|------------|
| Other | FLUORESCEIN SODIUM                            | C                  | Strips, ophthalmic   | 1mg/strip  |
|       | FLUORESCEIN SODIUM/BENOXINATE HCL (Flur-Ess®) | C                  | Solution, ophthalmic | 0.25%/0.4% |
|       |                                               |                    |                      |            |
|       | OCULAR LUBRICANT (Artificial Tears)           | N/A                | Solution, ophthalmic |            |
|       | OCULAR LUBRICANT (Artificial Tears)           | N/A                | Ointment, ophthalmic |            |
|       | PROPARACAINE (Alcaine®)                       | C                  | Solution, ophthalmic | 0.5%       |

## PSYCHIATRY

|                              | PRODUCT                                        | PREGNANCY CATEGORY | VIA           | DOSAGE   |
|------------------------------|------------------------------------------------|--------------------|---------------|----------|
| <b>Antidepressants</b>       |                                                |                    |               |          |
|                              | <b>Selective Serotonin Reuptake Inhibitors</b> |                    |               |          |
|                              | DULOXETINE (Cymbalta®)                         | C                  | Capsule, oral | 20mg     |
|                              | ESCITALOPRAM (Lexapro®)                        | C                  | Tablet, oral  | 10mg     |
|                              | FLUOXETINE (Prozac®)                           | C                  | Capsule, oral | 20mg     |
| <b>Antipsychotics</b>        |                                                |                    |               |          |
|                              | <b>First Generation (Typical)</b>              |                    |               |          |
|                              | HALOPERIDOL (Haldol®) lactate                  | C                  | Injection     | 5mg/ml   |
| <b>Anxiolytics/Hypnotics</b> |                                                |                    |               |          |
|                              | <b>Benzodiazepines</b>                         |                    |               |          |
|                              | CHLORDIAZEPOXIDE HCL (Librium®)                | N/A                | Capsule, oral | 25mg     |
|                              | DIAZEPAM (Valium®)                             | D                  | Injection     | 10mg/2ml |
|                              | DIAZEPAM (Valium®)                             | D                  | Tablet, oral  | 5mg      |
|                              | LORAZEPAM (Ativan®)                            | D                  | Tablet, oral  | 0.5mg    |
|                              | LORAZEPAM (Ativan®)                            | D                  | Injection     | 2mg/ml   |

## PULMONARY

|                         | PRODUCT                                                                                     | PREGNANCY CATEGORY | VIA                     | DOSAGE                         |
|-------------------------|---------------------------------------------------------------------------------------------|--------------------|-------------------------|--------------------------------|
| <b>Beta Agonists</b>    |                                                                                             |                    |                         |                                |
|                         | ALBUTEROL (Ventolin®)                                                                       | C                  | Inhalation aerosol      | 90 mcg/metered spray           |
|                         | ALBUTEROL                                                                                   | C                  | Solution for inhalation | 0.083%, 0.083% unit dose, 0.5% |
| <b>Anticholinergics</b> |                                                                                             |                    |                         |                                |
|                         | IPRATROPIUM BROMIDE<br>*Patient cannot have a concurrent active prescription for tiotropium | B                  | Solution, inhalation    | 0.02% (500mcg/2.5ml)           |
| <b>Combinations</b>     |                                                                                             |                    |                         |                                |

| PRODUCT                                                                                                                         | PREGNANCY CATEGORY | VIA                | DOSAGE    |
|---------------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------|-----------|
| IPRATROPIUM BROMIDE/ALBUTEROL SULFATE (Combivent®)**Cannot have a concurrent active prescriptions for ipratropium or tiotropium | C                  | Inhalation aerosol | 20/100mcg |

**Inhaled Steroids**

|                                                                                                                                    |   |                    |                |
|------------------------------------------------------------------------------------------------------------------------------------|---|--------------------|----------------|
| FLUTICASONE (Flovent®)**Restricted to patients <12 years old, or with documented failure or inability to use mometasone twisthaler | C | Inhalation aerosol | 44mcg/act      |
| MOMETASONE (Asmanex®)**First line for all patients 12 years and older                                                              | C | Twisthaler, oral   | 110mcg, 220mcg |

**Other Pulmonary Medications**

|                                      |   |                                                           |                      |
|--------------------------------------|---|-----------------------------------------------------------|----------------------|
| ACETYLCYSTEINE                       | B | Solution for inhalation or oral administration (Mucomyst) | 20%                  |
| AMMONIA INHALANT, AROMATIC           | C | Solution, inhalation                                      | 15-22% (0.4mg)       |
| RACEPINEPHRINE (racemic epinephrine) | C | Solution, inhalation                                      | 2.25%                |
| SODIUM CHLORIDE                      | C | Solution, inhalation                                      | 0.9%, 0.9% unit dose |
| TERBUTALINE (Brethine®)              | B | Injection                                                 | 1mg/ml               |

**TOXICOLOGY**

| PRODUCT                           | PREGNANCY CATEGORY | VIA              | DOSAGE     |
|-----------------------------------|--------------------|------------------|------------|
| ACETYLCYSTEINE (Acetadote®)       |                    | Injection        | 6 g/30 mL  |
| CHARCOAL, ACTIVATED WITH SORBITOL | N/A                | Suspension, oral | 50gm/240ml |
| FLUMAZENIL (Romazicon®)           | C                  | Injection        | 0.5mg/5ml  |

**UROLOGY**

| PRODUCT                     | PREGNANCY CATEGORY | VIA          | DOSAGE |
|-----------------------------|--------------------|--------------|--------|
| <b>Bladder Agents</b>       |                    |              |        |
| <b>Other</b>                |                    |              |        |
| PHENAZOPYRIDINE (Pyridium®) | B                  | Tablet, oral | 100mg  |

**IV SOLUTIONS**

| PRODUCT                                         | PREGNANCY CATEGORY | VIA | DOSAGE |
|-------------------------------------------------|--------------------|-----|--------|
| <b>Dextrose IV Solutions</b>                    |                    |     |        |
| DEXTROSE 5%                                     |                    |     | 1000ml |
| DEXTROSE 5% AND SODIUM CHLORIDE 0.9% INJECTION  |                    |     | 1000ml |
| DEXTROSE 5% AND SODIUM CHLORIDE 0.45% INJECTION |                    |     | 1000ml |

| PRODUCT                                                                        | PREGNANCY CATEGORY | VIA | DOSAGE |
|--------------------------------------------------------------------------------|--------------------|-----|--------|
| DEXTROSE 5% AND SODIUM CHLORIDE 0.45% INJECTION WITH 20 MEQ POTASSIUM CHLORIDE |                    |     | 1000ml |
| DEXTROSE 10%                                                                   |                    |     | 1000ml |

**LACTATED RINGERS IV SOLUTIONS**

|                  |  |  |        |
|------------------|--|--|--------|
| LACTATED RINGERS |  |  | 1000ml |
|------------------|--|--|--------|

**Sodium Chloride IV Solutions**

|                                     |  |  |                     |
|-------------------------------------|--|--|---------------------|
| SODIUM CHLORIDE 0.9%                |  |  | 10ml, 250ml, 1000ml |
| SODIUM CHLORIDE 0.9% FOR IRRIGATION |  |  | 1000ml              |

**OTHER**

|                |  |           |           |
|----------------|--|-----------|-----------|
| WATER, STERILE |  | Injection | USP, 10ml |
|----------------|--|-----------|-----------|

**OTHER**

| PRODUCT | PREGNANCY CATEGORY | VIA | DOSAGE |
|---------|--------------------|-----|--------|
|---------|--------------------|-----|--------|

**Devices**

|                       |  |               |                 |
|-----------------------|--|---------------|-----------------|
| AEROCHAMBER           |  | MDI admin aid |                 |
| AEROCHAMBER WITH MASK |  | MDI admin aid | Small           |
| INSULIN PEN NEEDLES   |  |               | Nano (4mm x32G) |